

MATERIAL SAFETY DATA SHEET

Date Printed: 03/12/2008

Date Updated: 06/16/2006

Version 1.4

Section 1 - Product and Company Information

Product Name DEHYDROISOANDROSTERONE CRYSTALLINE
Product Number D4000
Brand SIGMA

Company Sigma-Aldrich
Address 3050 Spruce Street
SAINT LOUIS MO 63103 US

Technical Phone: 800-325-5832
Fax: 800-325-5052
Emergency Phone: 314-776-6555

Section 2 - Composition/Information on Ingredient

Substance Name	CAS #	SARA 313
(+)-DEHYDROISOANDROSTERONE	53-43-0	No

Formula C19H28O2
Synonyms Androstenolone * Androst-5-en-17-one, 3-hydroxy-,
(3-beta)- (9CI) * 17-Chetovis *
trans-Dehydroandrosterone *
Dehydroepiandrosterone * 5-Dehydroepiandrosterone
* Dehydroisoandrosterone *
5,6-Dehydroisoandrosterone * DHEA * Diandron *
Diandron * 5,6-Didehydroisoandrosterone *
17-Hormoforin * 3-beta-Hydroxy-5-androsten-17-one
* (3-beta)-3-Hydroxyandrost-5-en-17-one *
Prasterone * Psicosterone *
TRANS-DEHYDROANDROSTERONE

RTECS Number: BV8396000

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Irritant.

Irritating to eyes, respiratory system and skin.

HMIS RATING

HEALTH: 2*

FLAMMABILITY: 0

REACTIVITY: 0

NFPA RATING

HEALTH: 2

FLAMMABILITY: 0

REACTIVITY: 0

*additional chronic hazards present.

For additional information on toxicity, please refer to Section 11.

Section 4 - First Aid Measures

ORAL EXPOSURE

If swallowed, wash out mouth with water provided person is conscious. Call a physician.

INHALATION EXPOSURE

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

DERMAL EXPOSURE

In case of contact, immediately wash skin with soap and copious amounts of water.

EYE EXPOSURE

In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

Section 5 - Fire Fighting Measures

FLASH POINT

N/A

AUTOIGNITION TEMP

N/A

FLAMMABILITY

N/A

EXTINGUISHING MEDIA

Suitable: Water spray. Carbon dioxide, dry chemical powder, or appropriate foam.

FIREFIGHTING

Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.
Specific Hazard(s): Emits toxic fumes under fire conditions.

Section 6 - Accidental Release Measures

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves.

METHODS FOR CLEANING UP

Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

Section 7 - Handling and Storage

HANDLING

User Exposure: Do not breathe dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.

STORAGE

Suitable: Keep tightly closed.

Section 8 - Exposure Controls / PPE

ENGINEERING CONTROLS

Safety shower and eye bath. Mechanical exhaust required.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory: Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a dust mask type N95 (US) or type P1 (EN 143) respirator.

Hand: Compatible chemical-resistant gloves.

Eye: Chemical safety goggles.

GENERAL HYGIENE MEASURES

Wash thoroughly after handling.

Section 9 - Physical/Chemical Properties

Appearance	Color: Very faintly beige Form: Powder	
Property	Value	At Temperature or Pressure
Molecular Weight	288.43 AMU	
pH	N/A	
BP/BP Range	N/A	
MP/MP Range	148 °C	
Freezing Point	N/A	
Vapor Pressure	N/A	
Vapor Density	N/A	
Saturated Vapor Conc.	N/A	
SG/Density	N/A	
Bulk Density	N/A	
Odor Threshold	N/A	
Volatile%	N/A	
VOC Content	N/A	
Water Content	N/A	
Solvent Content	N/A	
Evaporation Rate	N/A	
Viscosity	N/A	
Surface Tension	N/A	
Partition Coefficient	N/A	
Decomposition Temp.	N/A	
Flash Point	N/A	
Explosion Limits	N/A	
Flammability	N/A	
Autoignition Temp	N/A	
Refractive Index	N/A	
Optical Rotation	Degree of Rotation: 30 g/l Solvent: EtOH +19 - +13 (+/-1)	
Miscellaneous Data	N/A	
Solubility	N/A	

N/A = not available

Section 10 - Stability and Reactivity

STABILITY

Stable: Stable.

Materials to Avoid: Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide.

HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

Section 11 - Toxicological Information

ROUTE OF EXPOSURE

Skin Contact: Causes skin irritation.

Skin Absorption: May be harmful if absorbed through the skin.

Eye Contact: Causes eye irritation.

Inhalation: May be harmful if inhaled. Material is irritating to mucous membranes and upper respiratory tract.

Ingestion: May be harmful if swallowed.

SIGNS AND SYMPTOMS OF EXPOSURE

Can cause masculinization, nitrogen and water retention, electrolyte imbalance, adverse reproductive effects, androgenic side effects pregnant females should avoid exposure. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

TOXICITY DATA

Oral

Rat

> 10000 mg/kg

LD50

Subcutaneous

Rat

1 GM/KG

LD50

Oral

Mouse

> 10000 mg/kg

LD50

Subcutaneous

Mouse

900 MG/KG

LD50

CHRONIC EXPOSURE - CARCINOGEN

Species: Rat

Route of Application: Oral

Dose: 159 GM/KG

Exposure Time: 84W

Frequency: C

Result: Tumorigenic: Carcinogenic by RTECS criteria. Liver: Tumors.

Species: Mouse

Route of Application: Oral

Dose: 25 GM/KG

Exposure Time: 52D

Frequency: C

Result: Tumorigenic: Neoplastic by RTECS criteria. Tumorigenic

Effects: Ovarian tumors.

Species: Mouse

Route of Application: Implant

Dose: 400 MG/KG

Exposure Time: 50D

Frequency: C

Result: Tumorigenic:Neoplastic by RTECS criteria. Tumorigenic
Effects: Ovarian tumors.

CHRONIC EXPOSURE - TERATOGEN

Species: Rat
Dose: 300 MG/KG
Route of Application: Subcutaneous
Exposure Time: (15-20D PREG)
Result: Effects on Embryo or Fetus: Fetotoxicity (except death,
e.g., stunted fetus).

Species: Rat
Dose: 240 MG/KG
Route of Application: Intramuscular
Exposure Time: (13-20D PREG)
Result: Specific Developmental Abnormalities: Urogenital system.
Specific Developmental Abnormalities: Endocrine system. Effects
on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted
fetus).

CHRONIC EXPOSURE - MUTAGEN

Species: Rat
Route: Oral
Dose: 500 MG/KG
Mutation test: Unscheduled DNA synthesis

Species: Rat
Route: Oral
Dose: 3780 MG/KG
Exposure Time: 14D
Mutation test: DNA inhibition

CHRONIC EXPOSURE - REPRODUCTIVE HAZARD

Species: Rat
Dose: 1800 MG/KG
Route of Application: Oral
Exposure Time: (2-19D PREG)
Result: Effects on Fertility: Post-implantation mortality (e.g.,
dead and/or resorbed implants per total number of implants).
Effects on Fertility: Abortion.

Species: Rat
Dose: 3500 NG/KG
Route of Application: Oral
Exposure Time: (8-21D PREG)
Result: Effects on Newborn: Growth statistics (e.g., reduced
weight gain). Effects on Newborn: Biochemical and metabolic.
Effects on Newborn: Other postnatal measures or effects.

Species: Rat
Dose: 357 MG/KG
Route of Application: Subcutaneous
Exposure Time: (10D MALE)
Result: Paternal Effects: Prostate, seminal vessicle, Cowper's
gland, accessory glands.

Species: Rat
Dose: 300 MG/KG
Route of Application: Subcutaneous

Exposure Time: (20D PRE)
Result: Maternal Effects: Menstrual cycle changes or disorders.

Species: Rat
Dose: 600 MG/KG
Route of Application: Subcutaneous
Exposure Time: (10D PREG)
Result: Maternal Effects: Other effects. Endocrine:Change in LH.
Endocrine:Estrogenic.

Species: Rat
Dose: 240 MG/KG
Route of Application: Intramuscular
Exposure Time: (13-20D PREG)
Result: Maternal Effects: Ovaries, fallopian tubes.

Section 12 - Ecological Information

No data available.

Section 13 - Disposal Considerations

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

Section 14 - Transport Information

DOT

Proper Shipping Name: None
Non-Hazardous for Transport: This substance is considered to be non-hazardous for transport.

IATA

Non-Hazardous for Air Transport: Non-hazardous for air transport.

Section 15 - Regulatory Information

EU ADDITIONAL CLASSIFICATION

Symbol of Danger: Xi
Indication of Danger: Irritant.
R: 36/37/38
Risk Statements: Irritating to eyes, respiratory system and skin.
S: 26-36
Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing.

US CLASSIFICATION AND LABEL TEXT

Indication of Danger: Irritant.
Risk Statements: Irritating to eyes, respiratory system and skin.
Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing.

UNITED STATES REGULATORY INFORMATION

SARA LISTED: No

CANADA REGULATORY INFORMATION

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

DSL: Yes

NDSL: No

Section 16 - Other Information

DISCLAIMER

For R&D use only. Not for drug, household or other uses.

WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2008 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.