

MSDS Number: **D7728** \* \* \* \* \* *Effective Date: 02/26/07* \* \* \* \* \* *Supersedes: 08/10/04*



From: Mallinckrodt Baker, Inc.  
222 Red School Lane  
Phillipsburg, NJ 08865



24 Hour Emergency Telephone: 908-859-2151  
CHEMTREC: 1-800-424-9300

National Response in Canada  
CANUTEC: 613-996-6666

Outside U.S. and Canada  
Chemtec: 703-527-3887

**NOTE:** CHEMTREC, CANUTEC and National Response Center emergency numbers to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals.

All non-emergency questions should be directed to Customer Service (1-800-582-2537) for assistance.

# DIPHENYLAMINE

## 1. Product Identification

**Synonyms:** N-phenylaniline; anilinobenzene; benzenamine,N-phenyl-;

**CAS No.:** 122-39-4

**Molecular Weight:** 169.24

**Chemical Formula:** (C<sub>6</sub>H<sub>5</sub>)<sub>2</sub> NH

**Product Codes:**

J.T. Baker: 1944

Mallinckrodt: 4938

## 2. Composition/Information on Ingredients

Ingredient	CAS No	Percent
Hazardous		
-----	-----	-----
-----		
Diphenylamine	122-39-4	100%
Yes		

### 3. Hazards Identification

#### Emergency Overview

-----

**WARNING! HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. AFFECTS THE BLOOD. MAY CAUSE METHEMOGLOBINEMIA.**

**SAF-T-DATA**<sup>(tm)</sup> Ratings (Provided here for your convenience)

-----

Health Rating: 2 - Moderate (Life)

Flammability Rating: 1 - Slight

Reactivity Rating: 1 - Slight

Contact Rating: 2 - Moderate (Life)

Lab Protective Equip: GOGGLES; LAB COAT; VENT HOOD; PROPER GLOVES

Storage Color Code: Green (General Storage)

-----

#### Potential Health Effects

-----

##### **Inhalation:**

May cause irritation to the mucous membranes. Inhalation of dust may cause systemic poisoning, symptoms may parallel those from ingestion exposure. May cause methemoglobinemia.

##### **Ingestion:**

May cause anoxia, headache, fatigue, anorexia, cyanosis, vomiting, diarrhea, emaciation, hypothermia, bladder irritation, kidney, heart, and liver damage. May cause methemoglobinemia.

##### **Skin Contact:**

May cause skin irritation. Liquid material may be absorbed through the skin. Symptoms may parallel those from ingestion exposure. May cause methemoglobinemia.

##### **Eye Contact:**

May cause irritation, redness, pain, and corneal damage.

##### **Chronic Exposure:**

Prolonged or repeated exposure from inhalation or skin absorption of liquid may cause damage to the nervous system, liver, kidneys, and bone marrow. May also cause weight loss, anemia, weakness, and irritability.

##### **Aggravation of Pre-existing Conditions:**

No information found.

---

## 4. First Aid Measures

**Inhalation:**

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

**Ingestion:**

Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Call a physician immediately.

**Skin Contact:**

Immediately flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.

**Eye Contact:**

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

---

## 5. Fire Fighting Measures

**Fire:**

Flash point: 150C (302F)

Autoignition temperature: 634C (1173F)

May pose a slight fire hazard when exposed to heat or flame.

**Explosion:**

Contact with hexachloromelamine or trichloromelamine may cause an explosive reaction.

**Fire Extinguishing Media:**

Water spray, dry chemical, alcohol foam, or carbon dioxide. Water stream or foam may cause frothing.

**Special Information:**

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

---

## 6. Accidental Release Measures

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Spills: Pick up and place in a suitable container for reclamation or disposal, using a method that does not generate dust.

---

## 7. Handling and Storage

Protect against physical damage. Outside or detached storage is preferred. Inside storage should be in a standard flammable liquids storage room or cabinet. Separate from oxidizing materials. Storage and use areas should be No Smoking areas. Protect from light. Isolate from incompatible substances. Can be stored in containers for extended periods when temperature is below 65C. Prolonged storage above this point accelerates discoloration.

---

## 8. Exposure Controls/Personal Protection

### **Airborne Exposure Limits:**

-ACGIH Threshold Limit Value (TLV): 10 mg/m<sup>3</sup> (TWA)

### **Ventilation System:**

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

### **Personal Respirators (NIOSH Approved):**

If the exposure limit is exceeded and engineering controls are not feasible, a half facepiece particulate respirator (NIOSH type N95 or better filters) may be worn for up to ten times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest.. A full-face piece particulate respirator (NIOSH type N100 filters) may be worn up to 50 times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency, or respirator supplier, whichever is lowest. If oil particles (e.g. lubricants, cutting fluids, glycerine, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator.

WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres. An OV/particulate (NIOSH type N95 filter or better) respirator may be preferable when odor is a problem.

### **Skin Protection:**

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

### **Eye Protection:**

Use chemical safety goggles and/or a full face shield where splashing is

possible. Maintain eye wash fountain and quick-drench facilities in work area.

---

## 9. Physical and Chemical Properties

**Appearance:**

White to yellow crystals.

**Odor:**

Floral odor.

**Solubility:**

Negligible.

**Density:**

1.16

**pH:**

No information found.

**% Volatiles by volume @ 21C (70F):**

0

**Boiling Point:**

302C (576F)

**Melting Point:**

52C (126F)

**Vapor Density (Air=1):**

5.82

**Vapor Pressure (mm Hg):**

1 @ 108C (226F)

**Evaporation Rate (BuAc=1):**

No information found.

---

## 10. Stability and Reactivity

**Stability:**

Stable under ordinary conditions of use and storage. Discolors on exposure to light.

**Hazardous Decomposition Products:**

Burning may produce carbon monoxide, carbon dioxide, nitrogen oxides.

**Hazardous Polymerization:**

Will not occur.

**Incompatibilities:**

Hexachloromelamine, trichloromelamine, and oxidizing agents.

**Conditions to Avoid:**

Light and heat.

---

## 11. Toxicological Information

Oral rat LD50: 2000 mg/kg; investigated as a mutagen and reproductive effector.

-----\Cancer Lists\-----

Ingredient Category	---NTP Carcinogen---		IARC
	Known	Anticipated	
Diphenylamine (122-39-4) None	No	No	

---

## 12. Ecological Information

### Environmental Fate:

Theoretical oxygen demand (THOD) is 2.39. Chemical ox. in a 0.05N K<sub>2</sub>Cr<sub>2</sub>O<sub>7</sub> solution is 90% of THOD. Chemical demand in a 0.01N KMnO<sub>4</sub> solution is 88% of THOD.

### Environmental Toxicity:

No information found.

---

## 13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

---

## 14. Transport Information

Not regulated.

---

## 15. Regulatory Information

```

-----\Chemical Inventory Status - Part 1\-----
-----
Ingredient                                TSCA  EC   Japan
Australia
-----
Diphenylamine (122-39-4)                 Yes  Yes  Yes
Yes

```

```

-----\Chemical Inventory Status - Part 2\-----
-----
Ingredient                                Korea  DSL  NDSL
Phil.
-----
Diphenylamine (122-39-4)                 Yes  Yes  No
Yes

```

```

-----\Federal, State & International Regulations - Part 1\-----
-----
313-----
Ingredient                                -SARA 302-  -----SARA
Chemical Catg.                            RQ      TPQ      List
-----
Diphenylamine (122-39-4)                 No      No      Yes
No

```

```

-----\Federal, State & International Regulations - Part 2\-----
-----
TSCA-
Ingredient                                CERCLA  261.33  8(d)
-----
Diphenylamine (122-39-4)                 No      No      Yes

```

Chemical Weapons Convention: No      TSCA 12(b): Yes      CDTA: No  
 SARA 311/312: Acute: Yes      Chronic: Yes      Fire: No      Pressure: No  
 Reactivity: No      (Pure / Solid)

**Australian Hazchem Code:** None allocated.

**Poison Schedule:** None allocated.

**WHMIS:**

This MSDS has been prepared according to the hazard criteria of the  
 Controlled Products Regulations (CPR) and the MSDS contains all of the  
 information required by the CPR.

---

## 16. Other Information

**NFPA Ratings:** Health: **3** Flammability: **1** Reactivity: **0**

**Label Hazard Warning:**

WARNING! HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. AFFECTS THE BLOOD. MAY CAUSE METHEMOGLOBINEMIA.

**Label Precautions:**

Avoid breathing dust.  
Keep container closed.  
Use with adequate ventilation.  
Wash thoroughly after handling.  
Avoid contact with eyes, skin and clothing.  
Keep away from heat and flame.

**Label First Aid:**

If swallowed, induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. In all cases call a physician.

**Product Use:**

Laboratory Reagent.

**Revision Information:**

MSDS Section(s) changed since last revision of document include: 3.

**Disclaimer:**

\*\*\*\*\*  
\*\*\*\*\*

**Mallinckrodt Baker, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. MALLINCKRODT BAKER, INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, MALLINCKRODT BAKER, INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS**

**INFORMATION.**

\*\*\*\*\*

\*\*\*\*\*

**Prepared by:** Environmental Health & Safety

Phone Number: (314) 654-1600 (U.S.A.)