

Material Safety Data Sheet

Magnesium, reference standard solution 1000 ppm

ACC# 40114

Section 1 - Chemical Product and Company Identification

MSDS Name: Magnesium, reference standard solution 1000 ppm

Catalog Numbers: SM51-100, SM51-500

Synonyms: None.

Company Identification:

Fisher Scientific
1 Reagent Lane
Fair Lawn, NJ 07410

For information, call: 201-796-7100

Emergency Number: 201-796-7100

For CHEMTREC assistance, call: 800-424-9300

For International CHEMTREC assistance, call: 703-527-3887

Section 2 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent	EINECS/ELINCS
7697-37-2	Nitric acid		231-714-2
13446-18-9	Magnesium dinitrate hexahydrate	1	unlisted
7732-18-5	Water	balance	231-791-2

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Appearance: colorless liquid.

Danger! May cause severe eye irritation and possible injury. Causes skin and respiratory tract irritation. Corrosive to metal.

Target Organs: Eyes.

Potential Health Effects

Eye: Causes eye burns. May cause irreversible eye injury. May cause chemical conjunctivitis and corneal damage.

Skin: Causes skin irritation.

Ingestion: May cause irritation of the digestive tract. May cause systemic effects.

Inhalation: Effects may be delayed. Causes respiratory tract irritation. May cause systemic effects.

Chronic: Exposure to high concentrations of nitric acid vapor may cause pneumonitis and pulmonary edema which may be fatal. Symptoms may or may not be delayed. Continued exposure to the vapor & mist of nitric acid may result in a chronic bronchitis, & more severe exposure results in a chemical pneumonitis. The vapor & mists of nitric acid may erode the teeth, particularly affecting the canines & incisors.

Section 4 - First Aid Measures

Eyes: Get medical aid immediately. Do NOT allow victim to rub eyes or keep eyes closed. Extensive irrigation with water is required (at least 30 minutes).

Skin: Get medical aid immediately. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Destroy contaminated shoes.

Ingestion: Never give anything by mouth to an unconscious person. Get medical aid immediately. Do NOT induce vomiting. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water.

Inhalation: Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation. If breathing has ceased apply artificial respiration using oxygen and a suitable mechanical device such as a bag and a mask.

Notes to Physician: Treat symptomatically and supportively.

Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Wear appropriate protective clothing to prevent contact with skin and eyes. Wear a self-contained breathing apparatus (SCBA) to prevent contact with thermal decomposition products. Containers may explode in the heat of a fire. Contact with metals may evolve flammable hydrogen gas. Runoff from fire control or dilution water may cause pollution.

Extinguishing Media: Substance is noncombustible; use agent most appropriate to extinguish surrounding fire.

Flash Point: Not applicable.

Autoignition Temperature: Not applicable.

Explosion Limits, Lower: Not available.

Upper: Not available.

NFPA Rating: (estimated) Health: 3; Flammability: 0; Instability: 0

Section 6 - Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Clean up spills immediately, observing precautions in the Protective Equipment section. Neutralize spill with sodium bicarbonate. Provide ventilation.

Section 7 - Handling and Storage

Handling: Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Do not breathe dust, mist, or vapor. Do not get in eyes, on skin, or on clothing. Keep container tightly closed. Do not ingest or inhale. Discard contaminated shoes.

Storage: Keep container closed when not in use. Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

Exposure Limits

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
Nitric acid	2 ppm TWA; 4 ppm STEL	2 ppm TWA; 5 mg/m ³ TWA 25 ppm IDLH	2 ppm TWA; 5 mg/m ³ TWA
Magnesium dinitrate hexahydrate	none listed	none listed	none listed
Water	none listed	none listed	none listed

OSHA Vacated PELs: Nitric acid: 2 ppm TWA; 5 mg/m³ TWA Magnesium dinitrate hexahydrate: No OSHA Vacated PELs are listed for this chemical. Water: No OSHA Vacated PELs are listed for this chemical.

Personal Protective Equipment

Eyes: Wear chemical splash goggles.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Section 9 - Physical and Chemical Properties

Physical State: Liquid
Appearance: colorless
Odor: none reported
pH: Acidic
Vapor Pressure: 14 mm Hg @ 20 deg C
Vapor Density: 0.7
Evaporation Rate: >1 (ether=1)
Viscosity: Not available.
Boiling Point: > 100 deg C
Freezing/Melting Point: < 0 deg C
Decomposition Temperature: Not available.
Solubility: Soluble in water.
Specific Gravity/Density:
Molecular Formula: Solution.
Molecular Weight: Not available.

Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures.
Conditions to Avoid: High temperatures.
Incompatibilities with Other Materials: Oxidizing agents, strong bases.
Hazardous Decomposition Products: Nitrogen oxides, oxides of magnesium.
Hazardous Polymerization: Has not been reported.

Section 11 - Toxicological Information

RTECS#:
CAS# 7697-37-2: QU5775000; QU5900000
CAS# 13446-18-9: OM3756000
CAS# 7732-18-5: ZC0110000
LD50/LC50:
CAS# 7697-37-2:
Inhalation, rat: LC50 = 260 mg/m³/30M;
Inhalation, rat: LC50 = 130 mg/m³/4H;

Inhalation, rat: LC50 = 67 ppm(NO2)/4H;

CAS# 13446-18-9:

Draize test, rabbit, eye: 500 mg/24H Mild;
Draize test, rabbit, skin: 500 mg/24H Mild;
Oral, rat: LD50 = 5440 mg/kg;

CAS# 7732-18-5:

Oral, rat: LD50 = >90 mL/kg;

Carcinogenicity:

CAS# 7697-37-2: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS# 13446-18-9: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS# 7732-18-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Epidemiology: No data available.

Teratogenicity: No data available.

Reproductive Effects: No data available.

Mutagenicity: No data available.

Neurotoxicity: No data available.

Other Studies:

Section 12 - Ecological Information

No information available.

Section 13 - Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.

RCRA U-Series: None listed.

Section 14 - Transport Information

US DOT

Canada TDG

Shipping Name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	No information available.
Hazard Class:	8	
UN Number:	UN3264	
Packing Group:	III	

Section 15 - Regulatory Information

US FEDERAL

TSCA

CAS# 7697-37-2 is listed on the TSCA inventory.

CAS# 13446-18-9 is not on the TSCA Inventory because it is a hydrate. It is considered to be listed if the CAS number for the anhydrous form is on the inventory (40CFR720.3(u)(2)).

CAS# 7732-18-5 is listed on the TSCA inventory.

Health & Safety Reporting List

None of the chemicals are on the Health & Safety Reporting List.

Chemical Test Rules

None of the chemicals in this product are under a Chemical Test Rule.

Section 12b

None of the chemicals are listed under TSCA Section 12b.

TSCA Significant New Use Rule

None of the chemicals in this material have a SNUR under TSCA.

CERCLA Hazardous Substances and corresponding RQs

CAS# 7697-37-2: 1000 lb final RQ; 454 kg final RQ

SARA Section 302 Extremely Hazardous Substances

CAS# 7697-37-2: 1000 lb TPQ

SARA Codes

CAS # 7697-37-2: immediate, delayed, fire.

CAS # 13446-18-9: immediate, delayed, fire.

Section 313

This material contains Nitric acid (CAS# 7697-37-2,

This material contains Magnesium dinitrate hexahydrate (listed as Water Dissociable Nitrate Compounds), 1%, (CAS# 13446-18-9) which is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

Clean Air Act:

This material does not contain any hazardous air pollutants.

This material does not contain any Class 1 Ozone depletors.

This material does not contain any Class 2 Ozone depletors.

Clean Water Act:

CAS# 7697-37-2 is listed as a Hazardous Substance under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

OSHA:

CAS# 7697-37-2 is considered highly hazardous by OSHA.

STATE

CAS# 7697-37-2 can be found on the following state right to know lists:
California, New Jersey, Pennsylvania, Minnesota, Massachusetts.

CAS# 13446-18-9 is not present on state lists from CA, PA, MN, MA, FL, or NJ.

CAS# 7732-18-5 is not present on state lists from CA, PA, MN, MA, FL, or NJ.

California Prop 65

California No Significant Risk Level: None of the chemicals in this product are listed.

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols:

XI

Risk Phrases:

R 37/38 Irritating to respiratory system and skin.

R 41 Risk of serious damage to eyes.

Safety Phrases:

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 37/39 Wear suitable gloves and eye/face protection.

WGK (Water Danger/Protection)

CAS# 7697-37-2: 1

CAS# 13446-18-9: 1

CAS# 7732-18-5: No information available.

Canada - DSL/NDSL

CAS# 7697-37-2 is listed on Canada's DSL List.

CAS# 7732-18-5 is listed on Canada's DSL List.

Canada - WHMIS

This product has a WHMIS classification of E, D2B.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

Canadian Ingredient Disclosure List

CAS# 7697-37-2 is listed on the Canadian Ingredient Disclosure List.

CAS# 13446-18-9 is not listed on the Canadian Ingredient Disclosure List.

Section 16 - Additional Information

MSDS Creation Date: 6/08/1998

Revision #7 Date: 11/06/2007

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Fisher be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Fisher has been advised of the possibility of such damages.