

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 11/10/2008

Reviewed on 09/12/2008

1 Identification of substance:

Product details:

Product name: Magnesium silicate, activated

Stock number: B22490

Manufacturer/Supplier:

Alfa Aesar, A Johnson Matthey Company
 Johnson Matthey Catalog Company, Inc.
 30 Bond Street
 Ward Hill, MA 01835-8099
 Emergency Phone: (978) 521-6300
 CHEMTREC: (800) 424-9300
 Web Site: www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency information:

During normal hours the Health, Safety and Environmental Department.
 After normal hours call Chemtrec at (800) 424-9300.

2 Composition/Data on components:

Chemical characterization:

Description: (CAS#)

Silicic acid magnesium salt (1343-88-0): 100%

Identification number(s):

EINECS Number: 215-681-1

3 Hazards identification

Hazard description: Not applicable

Information pertaining to particular dangers for man and environment

Not applicable

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH	1	Health (acute effects) = 1
FIRE	0	Flammability = 0
REACTIVITY	1	Reactivity = 1

4 First aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek immediate medical advice.

- USA -

(Contd. on page 2)

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 11/10/2008

Reviewed on 09/12/2008

Product name: Magnesium silicate, activated

(Contd. of page 1)

5 Fire fighting measures

Suitable extinguishing agents

Product is not flammable. Use fire fighting measures that suit the surrounding fire.

Special hazards caused by the material, its products of combustion or resulting gases:

In case of fire, the following can be released:

Silicon oxide

Metal oxide fume

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Person-related safety precautions:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Measures for environmental protection:

Do not allow material to be released to the environment without proper governmental permits.

Measures for cleaning/collecting: Ensure adequate ventilation.

Additional information:

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling**Information for safe handling:**

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

The product is not flammable

Storage**Requirements to be met by storerooms and receptacles:**

No special requirements.

Information about storage in one common storage facility:

Do not store together with acids.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

8 Exposure controls and personal protection

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:

Not required.

(Contd. on page 3)

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 11/10/2008

Reviewed on 09/12/2008

Product name: Magnesium silicate, activated

(Contd. of page 2)

Additional information: No data

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

Material of gloves

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Eye protection: Safety glasses

Body protection: Protective work clothing.

9 Physical and chemical properties:

General Information

Form:	Powder
Odor:	Not determined

Change in condition

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined

Flash point:	Not applicable
---------------------	----------------

Ignition temperature:	Not determined
------------------------------	----------------

Decomposition temperature:	Not determined
-----------------------------------	----------------

Danger of explosion:	Product does not present an explosion hazard.
-----------------------------	---

Explosion limits:

Lower:	Not determined
Upper:	Not determined

Vapor pressure:	Not determined
------------------------	----------------

Density:	Not determined
-----------------	----------------

Solubility in / Miscibility with Water:	Insoluble
--	-----------

10 Stability and reactivity

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Materials to be avoided: Acids

(Contd. on page 4)

Material Safety Data Sheet
acc. to OSHA and ANSI

Printing date 11/10/2008

Reviewed on 09/12/2008

Product name: Magnesium silicate, activated

(Contd. of page 3)

Dangerous reactions No dangerous reactions known

Dangerous products of decomposition:

Silicon oxide

Metal oxide fume

11 Toxicological information

Acute toxicity:

Primary irritant effect:

on the skin: May cause irritation

on the eye: May cause irritation

Sensitization: No sensitizing effects known.

Subacute to chronic toxicity:

Inhalation of magnesium compounds may cause metal fume fever. Metallic magnesium which perforates the skin may cause local lesions. Some magnesium salts have produced muscle weakness, cardiac arrhythmias, respiratory effects and changes in blood chemistry following ingestion. Inorganic silicon compounds may be acute inhalation irritants. Prolonged inhalation may cause pulmonary fibrosis known as silicosis.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

12 Ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

13 Disposal considerations

Product:

Recommendation

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

Not a hazardous material for transportation.

DOT regulations:

Hazard class: None

Land transport ADR/RID (cross-border)

ADR/RID class: None

Maritime transport IMDG:

IMDG Class: None

Air transport ICAO-TI and IATA-DGR:

ICAO/IATA Class: None

(Contd. on page 5)

Material Safety Data Sheet
acc. to OSHA and ANSI

Printing date 11/10/2008

Reviewed on 09/12/2008

Product name: Magnesium silicate, activated

(Contd. of page 4)

Transport/Additional information:

Not dangerous according to the above specifications.

15 Regulations**Product related hazard informations:**

Observe the general safety regulations when handling chemicals

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

Information about limitation of use:

For use only by technically qualified individuals.

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing MSDS: Health, Safety and Environmental Department.**Contact:** Paul V. Connolly