

MATERIAL SAFETY DATA SHEET

Date Printed: 04/01/2008

Date Updated: 10/09/2007

Version 1.9

Section 1 - Product and Company Information

Product Name HYDROFLUORIC ACID, 48 WT. % IN WATER,
99.99+% METALS BASIS
Product Number 339261
Brand SIAL
Company Sigma-Aldrich
Address 3050 Spruce Street
SAINT LOUIS MO 63103 US
Technical Phone: 800-325-5832
Fax: 800-325-5052
Emergency Phone: 314-776-6555

Section 2 - Composition/Information on Ingredient

Substance Name	CAS #	SARA 313
HYDROFLUORIC ACID, NOT MORE THAN 60% PERCENT STRENGTH	7664-39-3	Yes

Formula HF
Synonyms Acide fluorhydrique (French) * Acido fluoridrico
(Italian) * Fluorowodor (Polish) *
Fluorwasserstoff (German) * Fluorwaterstof
(Dutch) * Hydrofluoride * Hydrogen fluoride
(ACGIH:OSHA) * RCRA waste number U134 * Rubigine
RTECS Number: MW7875000

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Highly Toxic (USA) Very Toxic (EU). Corrosive.
Very toxic by inhalation, in contact with skin and if swallowed.
Causes severe burns.
Target organ(s): Liver. Kidneys.

HMIS RATING

HEALTH: 4*
FLAMMABILITY: 0
REACTIVITY: 1

NFPA RATING

HEALTH: 4
FLAMMABILITY: 0
REACTIVITY: 1

*additional chronic hazards present.

For additional information on toxicity, please refer to Section 11.

Section 4 - First Aid Measures

ORAL EXPOSURE

If swallowed, wash out mouth with water provided person is conscious. Call a physician immediately. Do not induce vomiting.

INHALATION EXPOSURE

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

DERMAL EXPOSURE

In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.

EYE EXPOSURE

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

INFORMATION FOR PHYSICIAN

Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure.

Section 5 - Fire Fighting Measures

EXPLOSION HAZARDS

Container explosion may occur under fire conditions.

FLASH POINT

N/A

AUTOIGNITION TEMP

N/A

FLAMMABILITY

N/A

EXTINGUISHING MEDIA

Suitable: Dry chemical powder.

FIREFIGHTING

Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Specific Hazard(s): Emits toxic fumes under fire conditions.

Section 6 - Accidental Release Measures

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL

Evacuate area.

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.

METHODS FOR CLEANING UP

Cover with dry lime or soda ash, pick up, keep in a closed container, and hold for waste disposal. Ventilate area and wash spill site after material pickup is complete.

Section 7 - Handling and Storage

HANDLING

User Exposure: Do not breathe vapor. Do not get in eyes, on skin, on clothing. Avoid prolonged or repeated exposure.

STORAGE

Suitable: Keep tightly closed. Store away from heat. Store in a cool dry place.

Unsuitable: Do not store in glass

Incompatible Materials: Glass

Section 8 - Exposure Controls / PPE

ENGINEERING CONTROLS

Use only in a chemical fume hood. Safety shower and eye bath.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory: Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator.

Hand: Compatible chemical-resistant gloves.

Eye: Chemical safety goggles.

Other: Faceshield (8-inch minimum).

GENERAL HYGIENE MEASURES

Wash contaminated clothing before reuse. Discard contaminated shoes. Wash thoroughly after handling.

EXPOSURE LIMITS, RTECS

Country	Source	Type	Value
USA	ACGIH	Ceiling	co3 PPM
USA	MSHA Standard-air	TWA	3 PPM (2 MG/M3)
USA	OSHA.	PEL	8H TWA 3 PPM
New Zealand OEL			
Remarks: check ACGIH TLV			
USA	NIOSH	TWA	3 PPM
		STEL	6 PPM

EXPOSURE LIMITS

Country	Source	Type	Value
Poland		NDS	0.5 MG/M3
Poland		NDSch	2 MG/M3
Poland		NDSP	-

Section 9 - Physical/Chemical Properties

TARGET ORGAN(S) OR SYSTEM(S)

Central nervous system. Liver. Kidneys.

SIGNS AND SYMPTOMS OF EXPOSURE

Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting. Inhalation may result in spasm, inflammation and edema of the larynx and bronchi, chemical pneumonitis, and pulmonary edema. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

TOXICITY DATA

Inhalation
Human
50 ppm
LCLO

Inhalation
Rat
1,276 ppm
LC50

Remarks: Behavioral:Change in motor activity (specific assay). Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Lacrimation. Gastrointestinal:Changes in structure or function of salivary glands.

Inhalation
Mouse
342 ppm
LC50

Remarks: Lungs, Thorax, or Respiration:Dyspnea. Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Other. Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Corneal damage.

Inhalation
Monkey
1,774 ppm
LC50

Remarks: Behavioral:Coma. Lungs, Thorax, or Respiration:Cyanosis. Gastrointestinal:Other changes.

Inhalation
Guinea pig
4,327 ppm
LC50

Remarks: Lungs, Thorax, or Respiration:Respiratory depression. Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Lacrimation. Nutritional and Gross Metabolic:Weight loss or decreased weight gain.

IRRITATION DATA

Eyes
Human
50 mg
Remarks: Severe irritation effect

CHRONIC EXPOSURE - TERATOGEN

Result: Laboratory experiments have shown teratogenic effects.

Species: Rat
Dose: 4980 UG/M3/4H
Route of Application: Inhalation
Exposure Time: (1-22D PREG)
Result: Effects on Embryo or Fetus: Fetal death.

CHRONIC EXPOSURE - MUTAGEN

Result: Laboratory experiments have shown mutagenic effects.

Species: Rat
Route: Inhalation
Dose: 1 MG/M3/6H/24D-I
Mutation test: Cytogenetic analysis

CHRONIC EXPOSURE - REPRODUCTIVE HAZARD

Species: Rat
Dose: 470 UG/M3/4H
Route of Application: Inhalation
Exposure Time: (1-22D PREG)
Result: Effects on Fertility: Pre-implantation mortality (e.g., reduction in number of implants per female; total number of implants per corpora lutea). Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants).

Section 12 - Ecological Information

No data available.

Section 13 - Disposal Considerations

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

Section 14 - Transport Information

DOT

Proper Shipping Name: Hydrofluoric acid[, with not more than 60 percent strength]
UN#: 1790
Class: 8
Packing Group: Packing Group II
Hazard Label: Corrosive
Hazard Label: Toxic substances.
PIH: Not PIH

IATA

Proper Shipping Name: Hydrofluoric acid
IATA UN Number: 1790
Hazard Class: 8
Packing Group: II

Section 15 - Regulatory Information

EU DIRECTIVES CLASSIFICATION

Symbol of Danger: T+-C

Indication of Danger: Very toxic. Corrosive.

R: 26/27/28-35

Risk Statements: Very toxic by inhalation, in contact with skin and if swallowed. Causes severe burns.

S: 26-36/37/39-28-45

Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves, and eye/face protection. After contact with skin, wash immediately with plenty of water. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

US CLASSIFICATION AND LABEL TEXT

Indication of Danger: Highly Toxic (USA) Very Toxic (EU).

Corrosive.

Risk Statements: Very toxic by inhalation, in contact with skin and if swallowed. Causes severe burns.

Safety Statements: Keep container tightly closed and in well-ventilated place. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing and gloves. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

US Statements: Target organ(s): Liver. Kidneys.

UNITED STATES REGULATORY INFORMATION

SARA LISTED: Yes

DEMINIMIS: 1 %

NOTES: This product is subject to SARA section 313 reporting requirements.

TSCA INVENTORY ITEM: Yes

CANADA REGULATORY INFORMATION

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

DSL: Yes

NDSL: No

Section 16 - Other Information

DISCLAIMER

For R&D use only. Not for drug, household or other uses.

WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2008 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.